

# PRETORIA NORTH MACHINERY

(RMT 1150-08-22)

Viewing: Monday - Thursday : 08h00 - 16h00 | Friday: 08h00 - 12h00

**Asset located at:** 

456 Jan van Riebeeck Street, Pretoria North

Contact Arnold: Cell - 083 305 0991 or (012) - 5468409

### PLEASE NOTE:

TENDER DOCUMENTS NEEDS TO BE SEND TO tenders@ryncor.com WITH THE

TENDER NUMBER IN THE SUBJECT LINE

Closing Date: Friday 19 August 2022 at 12h00

Tel: 012 546 8409 / 11 | Fax: 086 696 5471 www.ryncor.com | tenders@ryncor.com 456 Jan van Riebeeck Street, Pretoria North PO Box 911-2461, Rosslyn, 0200



## GENERAL TERMS AND CONDITIONS AND TENDER FORM, FOR TENDER SALE ON BEHALF OF OUR CLIENTS REFERENCE NUMBER: RMT 1150-08-22

#### PROCESS FOR TENDER SALE:

1 Read the terms and conditions and familiarize yourself with the contents.

Sign pages 1 to 3 of the terms and conditions and send to fax (0866965471 / 0865584185 / 0865585030) or e-mail (tenders@ryncor.com) with the completed tender document. It can also be placed in a tender box situated in:

Pretoria - 456 Jan van Riebeeck street, Pretoria North

Secunda - 1 PDP Kruger Street, Secunda

Sasolburg - 1 Klasie Havenga Street, Sasolburg

Meyerton - 107 Lawa Road, Valley Settlements, Randvaal, Meyerton

- 2 Please note: An additional administration fee of R2500,00 (EXCLUDING VAT) will be charged on the sale of all vehicles, motorcycles, trailers and all other items sold with registration documents.
- **3** Approval for tenders should be obtained within 10 working days after the closing date of the tender sale. Successful Bidders / Tenderers will be notified by Fax or Email by means of a Pro Forma Invoice. (See paragraph 6 in the terms and conditions for bank details.) Please ensure that your contact details is complete, correct and legible.
- 4 After payment is cleared you will receive a Release Note with details for the removal of sold items.
- **5** Please note that a copy of the ID document and proof of residence is compulsory for bidding on every tender submitted!!
- 6 Please note that a valid TV license is compulsory for bidding on any TV set !!



## GENERAL TERMS AND CONDITIONS AND TENDER FORM, FOR TENDER SALE ON BEHALF OF OUR CLIENT REFERENCE NUMBER: RMT 1150-08-22

By bidding for any items included in the sale the bidder confirms that he accepts and is bound by the following terms and conditions:

- Bids must be sent to Ryncor Auctioneers, on or before 19 August 2022 at 12:00 pm.

  Bids must be sent by: fax to 086 696 5471 / 086 558 4185 / 086 558 5030; or by e-mail to: tenders@ryncor.com or tender box.Important Notice: The Bidder is responsible to ensure/confirm, that all bids submitted electronically / by fax / hand delivered in Tender Box, have actually been received by Ryncor, for inclusion in the Tender Sale process!
- 2 The Seller is the sole owner of these goods. Ryncor Auctioneers acts as an agent for and on behalf of the Seller and does not have any rights title or interest in the ownership of these goods and does not accept any liability to any third party with regard to these goods.
- 3 A "Tender Sale" is a private treaty sale in which the Seller reserves the right to refuse an offer at any time without any justification or explanation. The Seller reserves the right to merge or split some lots and to withdraw items from the sale.
- \* Ryncor reserves the right not to accept the highest bid or any other bid!
- \* Ryncor reserves the right to negotiate with the Buyer a better price if the Seller rejects the highest bid.
- \* The negotiated price shall not be less than the highest bid received on auction/tender
- 4 The Seller reserves the right to withhold delivery of items to any successful bidder until full payment is received.
- 5 Buyers will take full responsibility for the items as soon as final payment is received by Ryncor Auctioneers.
- 6 After awarding of the winning bid(s), the purchase price plus 10% Buyers commission, VAT applicable of 15% and R2500.00 (Excluding VAT) registration documentation handling fee must be transferred within 48 hours to Ryncor Auctioneer's bank account:

Bank: ABSA

Branch: Pretoria North
Branch code: 632005
Account Number: 4053081330

Please state your reference number (Example: PINV0000) as shown on the Pro-Forma Invoice on all payments made to this account and fax or email proof of payment to 086 696 5471 / info@ryncor.com

All cash deposits including ATM cash deposits into this account are subject to a "Cash Deposit Fee" of R1.60 per R100.00

- **6.1** If invoices are being paid by cheque or bank guarantee cheque, there will be a 10 day waiting period before the collection of the items can proceed.
  - **7** Foreign Buyers will be refunded for the VAT after receipt of the original exportation documentation properly stamped to prove that the export has been carried out.
  - 8 Should the Buyer fail to proceed to pay in full within 48 hours or cancel his bid, Ryncor Auctioneers will be entitled to a penalty fee amounting to 20% of the bid amount from the Buyer, as compensation for admin costs.
  - **9** Once payment reflects in the Ryncor bank account, the Buyer will receive a release Note within 48 hours. The Buyer then has ten (10) working days after the payment date to collect/remove his purchased goods from the premises. Failure to collect/remove the purchased items/vehicles within ten (10) working days will result in the items/vehicles being sold on a new Tender Sale, to recover Admin/storage fees. Any remaining proceeds from this sale will be reimbursed to the Buyer.

| SIGNED: | DATE: |
|---------|-------|
|         |       |



- 10 If it appears that an item cannot be delivered, totally or partially, by the Seller, for any reason whatsoever, Ryncor Auctioneers will be authorized to declare the sale null and void, after which Ryncor Auctioneers and/or the Seller will reimburse payments to the Buyer, but will not be liable to pay any damages to the Buyer.
- 11 The items (complete and/or parts) are sold "as is, where is", with no guarantee as regards to condition including any hidden flaws. In any event, the Buyer will be deemed to have carefully inspected the items he purchases beforehand. The Buyer will be deemed competent and to have been informed, before the closing date for biddings, of any error in the descriptions as well as any flaws or imperfections of the items.
- 12 The Seller shall not be liable for any damage to the Buyer's professional property, resulting from any flaws in the items.
- 13 Collection/dismantling of the items sold will be entirely at the buyer's cost and under his responsibility. Neither the Seller nor Ryncor Auctioneers shall be liable to the Buyer or any third party for additional costs due to the removal of the Items/vehicle from the premises. The Buyer shall be liable for any accident, damage to persons, to buildings or to the third party's property during dismantling and/or collection.
- 14 Neither the Seller nor Ryncor Auctioneers will be held responsible for the condition, description, quality, dimensions, year of manufacturing and completeness of the items as shown in the catalogue.
- 15 Pictures of the items shown in the Tender Sale documents/sales catalogue or sales lists are provided for the sole purpose of better differentiation and under no circumstances do they represent properties or characteristics of the items for sale.
- 16 Removal of the goods from the site shall be the responsibility of the Buyer, who shall remove the goods not later than ten (10) working days from the invoice date, having made prior arrangements to do so with Ryncor Auctioneers. The Buyer will be responsible for obtaining at his own expense, all necessary equipment for the removal of the Goods. Where the Vendor gives assistance to the Buyer in connection with such removal, such assistance is given entirely at the Buyer's risk. Should items not be removed within the specified time frame, then Ryncor Auctioneers reserves the right to resell or dispose of the items without incurring any liability to the Buyer, or without prejudice claims of the Vendor or Auctioneer against the Buyer for breach of contract. The Buyer's also forfeits any deposit paid to Ryncor Auctioneers. Ryncor Auctioneers also reserves the right to charge the Buyer rent and costs incurred due to non-removal of lots. The Buyer will be responsible for all damages caused to the building, plant and machinery or other lots, be it caused by the Buyer or any appointed contractor.
- 17 The Buyer declares to be duly entitled to sign and purchase the items on behalf of his company/cc/trust and agrees with the abovementioned general conditions of sale by Tender.
- 18 Please note: An additional administration fee of R2500,00 (EXCLUDING VAT) will be charged on the sale of all vehicles, motorcycles, trailers and all other items sold with registration documents. A copy of the ID document and proof of residence is mandatory for bidding on any vehicle!!
- 19 The above mentioned items will be sold as "SCRAP". The items are hereby sold to the Buyer as ("voetstoots, as is, where is") and Ryncor Auctioneers do not guarantee in any manner the quality and usefulness of the Items, except that when properly used it will not create a risk to health, nor shall Ryncor Auctioneers be responsible for any defects latent or patent or any damages resulting there from, and the Buyer hereby agrees to accept the items as they are with all their defects.
- 20 When doing a site visit to view the Goods up for Tender Sale, the prospective Buyer must ensure he have a bar coded ID document and wear correct PPE. The above arrangement goes for all people involved in dismantling, collection and transportation of Goods.
- 21 The Buyer hereby, in terms of Section 10(4) of the Occupational Health and Safety Act, No 85of 1993, undertakes in writing or by signing of a Letter of Award to take all the necessary steps toensure, as far as it is reasonably practical, that the items purchased will be used in a safe manner for what they are designed for and without risks to health when properly used. The undertaking shall have the effect of religuishing Ryncor Auctioneers the duty imposed upon him by this section 10(4) to such an extent as may be reasonable having regard to the terms of the undertaking.

| 2  | GN | IFD: | ••••• | DATE: | ••••• |
|----|----|------|-------|-------|-------|
| וכ |    | ILV. |       | VAIL. |       |



- 22 The Buyer further undertakes to abide by all internal SHE (Safety, Health & Environmental) prescriptions of the Seller (Company) inclusive of requirements for the safe decommissioning, dismantling, up-liftment / rigging, loading and transportation of the purchased commodities. Depending of the nature and size of the purchased item, a comprehensive Environmental Management Plan (EMP) could be required.
  - (This aspect to be discussed by the prospective Buyer when submitting his bid)
- 23 The rules of this Tender Sale comply with section 45 of the Consumer Protection Act, 68 of 2008 ("the Act") and the regulations thereto. Any person attending the Tender Sale to bid on behalf of another person must produce a letter of authority which meets the requirements of regulation 32(3) of the regulations to the Act. Any person bidding on behalf of a company must produce a letter of authority on the letterhead of the company as well as a certified copy of a resolution authorising him or her to bid. All persons intending to bid must register prior to the
- 24 The Buyer shall indemnify and keep Ryncor Auctioneers indemnified against all losses for death or injury to its employees, its contractors and / or its contractors losses for death or injury to its employees, its contractors and / or its contractors personnel and / or death or injury or damage to health of third parties or damage to anything attributable to this sales transaction, and against all claims, demands, proceedings, costs, charges and expenses arising in connection with this sale agreement.

| SIGNED: | NATE. |
|---------|-------|
| 31011ED | VAIE  |



## POPI CONSENT REGISTRATION OF TENDERS

|    | I/We  | hereby agree to provide our personal   |
|----|---|--|
|    | information to Ryncor   | Auctioneers, on the express understanding that:  |
|    |   |  |
| 1. | This constitutes our consent, a Personal Information Act 4 of   | as required under Section 11 (1) (a) of the Protection of 2013 ("POPI").   |
| 2. | our personal details which have                                 | ance staff of Ryncor Auctioneers will have access to<br>ve been furnished to them for the purpose of attending<br>over the assets referred in the tender document. |
| 3. |   | rized to release our personal information to the seller,<br>Party/Parties, solely for the purposes of this transaction.  |
| 4. | The personal data will be used consent.                         | d only for the purposes in 2 and 3 above of this   |
| 5. | •   | dition to its POPI compliance store our details, as the Legal Practice Council from time to time.  |
| 6. | I/We hereby consent to receive Ryncor Auctioneers in the future | e Newsletters and/or other useful information from ure.  |
|    | Signature   |  |



Declaration of agreement by the undersigned with the general terms and conditions of this tender sale.

| I/We, the undersigned                  | , hereby submit to you the                     |
|--|--|
|  | estrictions according to the general terms and |
| conditions of this tender sale by this | , to purchase the materials as follows:        |
| ·                                      |  |
| * PLEASE COMPLETE ALL THE REQUES       | TED FIELDS BELOW IN CAPITAL LETTERS            |
|  |  |
| IO PREVENT BII                         | D CANCELLATION                                 |
| NAME OF COMPANY                        |  |
| NAME OF COMPANY:                       |  |
| NAME AND OUDNAME.                      |  |
| NAME AND SURNAME:                      |  |
|  |  |
| COMPANY VAT REGISTRATION NUMBER:       |  |
| ID AUTHORED AND CORV OF ID DOCUMENT    |  |
| ID NUMBER AND COPY OF ID DOCUMENT:     |  |
|  |  |
| PHYSICAL ADDRESS:                      |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
| POSTAL ADDRESS:                        |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
| CODE: COUNT                            | 「RY:   |
|  |  |
| TELEPHONE NUMBER (BUSINESS HOURS):     |  |
|  |  |
| MOBILE TELEPHONE NUMBER:               |  |
|  |  |
| FAX NUMBER:                            |  |
|  |  |
| E-MAIL ADDRESS:                        |  |
|  |  |
|  |  |

**COMPANY STAMP:** 

PLACE:

TIME:

**SIGNATURE:** 

DATE:

|         |                   | TENDER ITEMS   |   |
|---------|-------------------|--|---|
| LOT NO  | BU NO.            | DESCRIPTION  | AMOUNT IN RAND (Excluding VAT & Buyer's Commission) |
| Lot 001 | SPM/1123/0001/22  | Fully Automatic Venetian Blind Machine Power: Pneumatic & Motorized Power Rate: 1,5 Kw, 220 V, 5Hz Speed: 0 - 210 m/min Size: 3900mm x 400mm x 1420mm N.W: 330kg Available SLA Size: 12.5mm / 15mm / 16mm / 25mm Min Working Size: 280mm  Main Features  |   |
|         |                   | - BL-A3 Automatic Venetian Blind Cutting Machine - Function: Curving, Punching, Cutting of slats and threading ladder string, cutting color swatch pieces - Running Speed: could be more or about 120m/min - Precise: Up to 0.1mm - ETD light available for night working - Double curving system bring excellent effect - 48 hours of continuous working for venetian blind cutting machine - Thinner slat manufacturing available - High precision punching die - Automatic protection and error display - Could work as semi-auto aluminium blind machine - Could make aluminium slat color swatch piece as your need  Product Application BL-A3 Making Venetian Blind Machine is highly working performance machine, which could be workable size including size |   |
| Lot 002 | RMTS/1150/0002/22 | 12.5mm,15mm,16mm,25mm. Multiply function of slats curving, cutting, punching, threading ladder string and making color swatch pieces, no stopping of work after 1 blind finished, well ladder string threading finished allow your fast operation of cord.  Tox-Pressotechnik c-frame pneumatic clinching  |   |
| Lot 002 | 1110/1100/0002/22 | Type: SFSB0000238 Element: KSB 06/17 Year: 2010 Production number: 4126 With Firmotech-Fischer feeding system  |   |
| Lot 003 | RMTS/1150/0003/22 | Deckel tool room milling machine Model: FP4A Serial: 22040644 Spindle: ISO40 Control: Deckel contour 1 Bed size: 800mm x450mm  |   |
| Lot 004 | RMTS/1150/0004/22 | Hostek CNC Spark eroder<br>Model: SH386N<br>Bed size: 700mm x 400mm<br>Serial: 020116<br>KVA:5   |   |
| Lot 005 | RMTS/1150/0005/22 | Tos universal cylindrical grinder Model - BU 28/1000 Centre Height - 150 mm Max. Diameter of Job - 300 mm Max. Length of Job - 1000 mm Grinding Wheel Size - 400 mm Diameter x 50 mm Width Work-Head Speed - 22.4 rpm to 710 rpm Wheel-Head Spindle Speed - 2050 rpm & 1570 rpm  |   |

|         |                     | TENDER ITEMS                                       |   |
|---------|---------------------|--|---|
| LOT NO  | BU NO.              | DESCRIPTION  | AMOUNT IN RAND (Excluding VAT & Buyer's Commission) |
| Lot 006 | RMTS/1150/0006/22   | EasyRoute Lite PVC Clampable                       |   |
|         |                     | Vacuum CNC Router with 3kW Water-Cooled            |   |
|         |                     | Spindle and Stepper Motors                         |   |
|         |                     | with Vacuum Pump and Dust Collector Full Package   |   |
|         |                     | Model: R-1325LK/30                                 |   |
|         |                     | Spindle Working Envelope: 1300x2500x300mm          |   |
|         |                     | Bed size: 1300mm x 2500mm                          |   |
|         |                     | 2400mm Long Timber                                 |   |
|         |                     | 2400mm Long Laminated Pine                         |   |
|         |                     | 1220x2440mm Hardboard                              |   |
|         |                     | 1220x2440mm Pegboard<br>1220x2440mm Softboard      |   |
|         |                     | 1220x2440mm & 1250x2500 Aluminium Sandwich Panel   |   |
|         |                     | Volts: 380V  |   |
| Lot 007 | RMTS/1150/0007/22   | MVD CNC hydraulic guillotine                       |   |
| 201 007 | 111110/1100/0007/22 | Model: HGM 4006                                    |   |
|         |                     | Carbon steel thickness : 6mm                       |   |
|         |                     | Length : 4000 mm                                   |   |
|         |                     | Motor : 11Kw'                                      |   |
|         |                     | Control: MVD NC                                    |   |
|         |                     | Weight: 11,000 Kg                                  |   |
| Lot 008 | RMTS/1150/0008/22   | Monforts CNC turning centre                        |   |
|         |                     | Model: KNC 5/1000                                  |   |
|         |                     | Control: MTC-K                                     |   |
|         |                     | Machine-cycle-controlled lathe                     |   |
|         |                     | Centre height 245mm                                |   |
|         |                     | Centre to centre 1000mm                            |   |
|         |                     | Turning-Æ bed/supp. 500mm/290mm                    |   |
|         |                     | Spindle speed = 2-2800rpm,                         |   |
|         |                     | Spindle hole 70mm                                  |   |
|         |                     | Multifix, tail stock fixed and moving steady rest  |   |
| Lot 009 | RMTS/1150/0009/22   | Cincinnati tool and cutter grinder                 |   |
|         |                     | Type: #2   |   |
|         |                     | Swing: 254 mm                                      |   |
| 1       | D14T0///T0/00/00/00 | Centres: 685.8 mm                                  |   |
| Lot 010 | RMTS/1150/0010/22   | Elite tool grinder                                 |   |
|         |                     | Model: 70  |   |
|         |                     | Distance between centres: 670 mm                   |   |
|         |                     | Work piece diameter: 250 mm Table rotation:+/- 55° |   |
|         |                     | Travels:   |   |
|         |                     | -X: 500 mm   |   |
|         |                     | -Y: 300 mm   |   |
|         |                     | -Z: 300 mm   |   |
| Lot 011 | RMTS/1150/0011/22   | Haco NC hydraulic press brake                      |   |
| 201011  | 144110/1100/0011/22 | Model: ERMS 30-135                                 |   |
|         |                     | Capacity: 135 ton x 3000mm                         |   |
|         |                     | Year: 2004   |   |
|         |                     | Serial: 82015                                      |   |
|         |                     | NC Control: ATS 560                                |   |
| Lot 012 | RMTS/1150/0012/22   | Haco NC hydraulic guillotine                       |   |
|         |                     | Model: TSX 3006                                    |   |
|         |                     | Capacity: 6mm x 3000mm                             |   |
|         |                     | Year: 2003   |   |
|         |                     | Serial: 67001                                      |   |
|         |                     | NC Control: SC100                                  |   |

|         | TENDER ITEMS      |   |   |  |
|---------|-------------------|---|---|--|
| LOT NO  | BU NO.            | DESCRIPTION                                     | AMOUNT IN RAND (Excluding VAT & Buyer's Commission) |  |
| Lot 013 | RMTS/1150/0013/22 | ABA CNC Surface grinding machine                |   |  |
|         |                   | Model: EL 806                                   |   |  |
|         |                   | Table length 800 mm x Table width 500 mm        |   |  |
|         |                   | Grinding length 800 mm x Grinding width 600 mm  |   |  |
|         |                   | Grinding height 500 mm                          |   |  |
|         |                   | Table load max. 800 kg                          |   |  |
|         |                   | Longitudinal travel (X-axis) 1100 mm            |   |  |
|         |                   | Transversal travel (y axis) 600 mm              |   |  |
|         |                   | Vertical travel (z axis) 530 mm                 |   |  |
|         |                   | Automatic cross-feed: stepless                  |   |  |
|         |                   | from 0.001 m/min ~ up to 5 m/min                |   |  |
|         |                   | Table speeds: stepless                          |   |  |
|         |                   | from 2 m/min ~ up to 35 m/min                   |   |  |
|         |                   | Automatic vertical feed: 0.001                  |   |  |
|         |                   | from 1 mm/min ~ up to 3000 mm/min               |   |  |
|         |                   | Diameter of grinding wheel 400 mm               |   |  |
|         |                   | Width of the grinding wheel 100 mm              |   |  |
|         |                   | Wheel int. diameter 127 mm                      |   |  |
|         |                   | Grinding wheel speeds: stepless                 |   |  |
|         |                   | from 1000 rpm ~ up to 2600 rpm                  |   |  |
|         |                   | Voltage 50 Hz 3x 380 Volt                       |   |  |
|         |                   | Grinding spindle motor 11 kW                    |   |  |
|         |                   | Machine's weight about 5400 kg                  |   |  |
|         |                   | Overall dimensions machine:                     |   |  |
|         |                   | Length 3400 mm x Width 3400 mm x Height 2600 mm |   |  |
| Lot 014 | RMTS/1150/0014/22 | CZ eccentric press                              |   |  |
|         |                   | Model: LP125                                    |   |  |
|         |                   | Capacity: 125 ton                               |   |  |
|         |                   | Bed: 600mm x 600mm                              |   |  |
| Lot 015 | RMTS/1150/0015/22 | H.M.E eccentric press                           |   |  |
|         |                   | Model: L70                                      |   |  |
|         |                   | Table size: 800mm x 500mm                       |   |  |
|         |                   | Throat: 280mm                                   |   |  |
|         |                   | Daylight: 300mm                                 |   |  |
|         |                   | Adjustable stroke                               |   |  |

#### Important notes with regards to items on Tender:

Attention: Dear bidder,

It is Highly Recommended that Potential Buyers Physically Inspect the Assets before submitting a Tender.

Assets is sold and bought as is. No refund will be given after the sale is concluded. For this reason it is to the benefit of each potential bidder, to view and familiarise him/her with the product and condition. Loading of material on appointment only.

For more information contact our office @ (012) 546 8409/11

Important notes read and understood by the bidder: Signature...... Date: ...../2022

## PLEASE NOTE:

<u>TENDER DOCUMENTS NEEDS TO BE SEND TO tenders @ryncor.com WITH THE TENDER NUMBER</u> IN THE SUBJECT LINE.