



TENDER SALE

MOZAMBIQUE DRILL RODS, PIPES & CROWN ASSEMBLIES (MO 08-0002-26)

VIEWING ONLY BY APPOINTMENT

Starting Date: Monday 04 August 2025

Closing Date: Friday 29 August 2025 at 12h00 (CAT)

Viewing only by appointment contact Dreyer or Roche for viewing arrangements

Assets located: Mozambique, Southeast Africa

ZAR 50,000.00 Refundable Registration Fee

Contact - Dreyer - Cell: +2778 355 3984 or Roche - Cell: +2763 695 8161

Important Note for Buyers:

- A bar-coded ID document and correct PPE (personal protective equipment) are mandatory for all site visits.
- All visitors/contractors must first view a safety video at the Sasol Security Offices before being granted access.
- International buyers must ensure they have the correct Business Visa and Work Permits arranged prior to site visits.

Tel: 012 546 8409 / 11 | Fax: 086 696 5471

www.ryncor.com | info@ryncor.com

456 Jan van Riebeeck Street, Pretoria North

PO Box 911-2461, Rosslyn, 0200



**GENERAL TERMS AND CONDITIONS AND TENDER FORM, FOR TENDER SALE
ON BEHALF OF SASOL
TENDER SALE NUMBER: MO 08-0002-26**

PROCESS FOR TENDER SALE:

- 1 Read the terms and conditions and familiarize yourself with the contents.

Sign pages 1 to 5 of the terms and conditions and send to e-mail (tenders@ryncor.com) with the completed tender document. It can also be placed in a tender box situated in:

Pretoria - 456 Jan van Riebeeck street, Pretoria North, Gauteng, South Africa

Secunda - 1 PDP Kruger Street, Secunda, Mpumalanga, South Africa

Sasolburg - 1 Klasie Havenga Street, Sasolburg, Freestate, South Africa

Meyerton - 107 Lawa Road, Valley Settlements, Randvaal, Meyerton, Gauteng, South Africa

- 2 Approval for tenders should be obtained within 10 working days after the closing date of the tender sale. Successful Bidders / Tenderers will be notified by Fax or Email by means of a Pro Forma Invoice. (See paragraph 6 in the terms and conditions for bank details.) Please ensure that your contact details is complete, correct and legible.
- 3 After payment is cleared you will receive a Release Note with details for the removal of sold items.
- 4 Please note that a copy of the ID document and proof of residence is compulsory for bidding on every tender submitted!!
- 5 A fully ***refundable registration fee of ZAR 50 000 is mandatory** to qualify the prospective Buyer to participate in the Tender Sale activity. **(See paragraph 6.2 in the terms and conditions for bank details)**

6. Please use the Company name or Tenderers name as reference

STRICTLY EFT PAYMENTS WILL BE ACCEPTABLE FOR THE REGISTRATION FEE!!!

Unsuccessful Bidders will be notified and refunded after the closing date of the Tender Sale. The successful Bidder will be notified within 24 hours after adjudication of the Tender Sale by our Client. The deposit will then go towards the final amount due by the successful Bidder for the purchase of the awarded bid.*Note : If the successful Bidder fails to fully pay for the purchase within two (2) working days, after being awarded the Lot, the deposit will be forfeited as a penalty to cover Ryncor's expenses !!

In terms of the Ryncor Standard Terms & Conditions, we hereby officially inform you that should the registration Fee not be paid by latest on the Tender Sale closing date, your bid will be disqualified and will not be considered for the commodities you have submitted bids for ! Tender documents are processed every Monday after the closing date of the Tender Sale, and non-payment/receipt of the Registration Fee will automatically disqualify the bidder! Please make every effort to adhere to this rule, to avoid any disappointment.



GENERAL TERMS AND CONDITIONS AND TENDER FORM, FOR TENDER SALE ON BEHALF OF SASOL
TENDER SALE NUMBER: MO 08-0002-26

By bidding for any items included in the sale the bidder confirms that he accepts and is bound by the following terms and conditions:

- 1 Bids must be sent to Ryncor Auctioneers, on or before **Friday 29 August 2025 at 12:00 pm (CAT)**.
 Bids must be sent by e-mail to: tenders@ryncor.com - or **tender box**. Important Notice: - The Bidder is responsible to ensure/confirm, that all bids submitted electronically / by fax / hand delivered in Tender Box, **have actually been received by Ryncor, for inclusion in the Tender Sale process!**
- 2 The Seller is the sole owner of these goods. Ryncor Auctioneers acts as an agent for and on behalf of the Seller and does not have any rights title or interest in the ownership of these goods and does not accept any liability to any third party with regard to these goods.
- 3 A "Tender Sale" is a private treaty sale in which the Seller reserves the right to refuse an offer at any time without any justification or explanation. The Seller reserves the right to merge or split some lots and to withdraw items from the sale.
 - * Ryncor reserves the right not to accept the highest bid or any other bid !
 - * Ryncor reserves the right to negotiate with the Buyer a better price if the Seller rejects the highest bid.
 - * The negotiated price shall not be less than the highest bid received on auction/tender
- 4 The Seller reserves the right to withhold delivery of items to any successful bidder until full payment is received.
- 5 Buyers will take full responsibility for the items as soon as final payment is received by Ryncor Auctioneers.
- 6 After awarding of the winning bid(s), the purchase price plus **10% Buyers** commission and **VAT IF applicable**, must be transferred within **48 hours** to Ryncor Auctioneer's bank account:

Bank:	ABSA
Branch:	Pretoria North
Branch code:	632005
Account Number:	4053081330

Please state your reference number (Example: PSEC000) as shown on the Pro-Forma Invoice on all payments made to this account and fax or email proof of payment to 086 696 5471 / info@ryncor.com

All cash deposits including ATM cash deposits into this account are subject to a "Cash Deposit Fee" of ZAR1.60 per ZAR100.00

On all credit /debit card transactions, a 5% surcharge will be charged.

- 6.1 If invoices are being paid by cheque or bank guarantee cheque, there will be a 10 day waiting period before the collection of the items can proceed.
- 6.2 A fully ***refundable registration fee of ZAR 50,000 is mandatory** to qualify the prospective Buyer to participate in the Tender Sale.

Bank:	ABSA
Branch:	Pretoria North
Branch code:	632005
Account Number:	4066462915

Only refundable fees into this account !!

Please use the company name or Tenderers name as reference

STRICTLY EFT PAYMENTS WILL BE ACCEPTABLE FOR THE REGISTRATION FEE!!! All Tenderers not making use of the EFT system when paying their deposit, must allow for banking/admin charges when their deposits are being refunded by Ryncor!

Unsuccessful Bidders will be refunded after adjudication of the Tender Sale by our Client. The successful Bidder will be notified within 24 hours after adjudication of the Tender Sale by our Client. The deposit will then go towards the final amount due by the successful Bidder or the purchase of the awarded bid.

***Note : If the successful Bidder fails to fully pay for the purchase within 48 hours, after being awarded the Lot(s), the deposit will be forfeited as a penalty to cover Ryncor's expenses!!**

SIGNED: DATE:



- 7 Foreign Buyers will be refunded for the VAT after receipt of the original exportation documentation properly stamped to prove that the export has been carried out.
- 8 Should the Buyer fail to proceed to pay in full within **48 hours** or cancel his bid, Ryncor Auctioneers will be entitled to a penalty fee amounting to **20%** of the bid amount from the Buyer and **forfeiting the ZAR 50,000** registration fee, as compensation for admin costs.

Important Notice: -

If financing is arranged through a Financial Institution, it must be noted that the required evaluation / approval / inspection of the commodity being purchased from Sasol, be done beforehand and on site Sasol RMM. No commodity will be allowed to leave Sasol's premises until paid in full!

- 9 Once payment reflects in the Ryncor bank account, the Buyer will receive a release Note within 48 hours.

The Buyer then has **Thirty (30) working days** after the payment date to collect/remove his purchased goods from the premises. Failure to collect/remove the purchased items/vehicles within **Thirty (30) working days** will result in the items/vehicles being sold on a new Tender Sale, to recover Admin/storage fees. Any remaining proceeds from this sale will be reimbursed to the Buyer.

Collection should be arranged with the Site one week in advance to allow arrangements for booking at Security collection times and days:

- * **Monday to Thursday 9am to 4pm; however arrival times for large items involving cranes and major loading procedures is NO later than 1pm.**
- * **Late arrivals will not be accommodated and turned away.**
- * **No collections on Fridays**

- 10 If it appears that an item cannot be delivered, totally or partially, by the Seller, for any reason whatsoever, Ryncor Auctioneers will be authorized to declare the sale null and void, after which Ryncor Auctioneers and/or the Seller will reimburse payments to the Buyer, but will not be liable to pay any damages to the Buyer.
- 11 The items (complete and/or parts) are sold "as is, where is", with no guarantee as regards to condition including any hidden flaws. The Buyer will be deemed competent and to have viewed and inspected the items before the closing date of the tender.
- 12 The Seller shall not be liable for any damage to the Buyer's professional property, resulting from any flaws in the items.
- 13 Collection/dismantling of the items sold will be entirely at the buyer's cost and under his responsibility. Neither the Seller nor Ryncor Auctioneers shall be liable to the Buyer or any third party for additional costs due to the removal of the Items/vehicle from the Sasol premises. The Buyer shall be liable for any accident, damage to persons, to buildings or to the third party's property during dismantling and/or collection.

Note: The following details are available upon request to help you obtain competitive quotations for rigging and transport services:

1. On-site crane rigging contractors: **ALISTAIRGROUP, TRANSCRANE, FOSELEV**
 2. DNV-certified transport and logistics providers: **Will be confirmed**
- * **Contact our office on telephone Pretoria-North: +2712-546-8409/11, Meyerton: +27366-4046**
Sasolburg: +2716-960-2992, Secunda: +2717-610-1606 to get details of Sasol approved Contractors.
 - * **Only roadworthy and licensed vehicles will be allowed on Sasol's premises. All vehicles will be inspected on arrival. If any defect is found as per the Road traffic legislation, a traffic violation notice will be issued by the Sasol traffic department. The vehicle will be turned away and loading can be refused due to safety risks and hazards.**
 - * **No children, firearms or alcohol are allowed on the Sasol premises.**
 - * **No Cameras, or Cell phones for the taking of photos are allowed on the Sasol premises.**
 - * **The removal must be arranged in its totality by the Buyer with no safety risk to Sasol.**
 - * **All goods may only be removed from Monday to Thursday and from 09:00 - 16:00 and Friday No collections**

SIGNED: DATE:



- 14 Neither the Seller nor Ryncor Auctioneers will be held responsible for the condition, description, quality, dimensions, year of manufacturing and completeness of the items as shown in the catalogue.
- 15 Pictures of the items shown in the Tender Sale documents/sales catalogue or sales lists are provided for the sole purpose of better differentiation and under no circumstances do they represent properties or characteristics of the items for sale.
- 16 Removal of the goods from the site shall be the responsibility of the Buyer, who shall remove the goods not later than ten **Thirty (30) working days** from the invoice date, having made prior arrangements to do so with Ryncor Auctioneers. The Buyer will be responsible for obtaining at his own expense, all necessary equipment for the removal of the Goods. Where the Vendor gives assistance to the Buyer in connection with such removal, such assistance is given entirely at the Buyer's risk. Should items not be removed within the specified time frame, then Ryncor Auctioneers reserves the right to resell or dispose of the items without incurring any liability to the Buyer, or without prejudice claims of the Vendor or Auctioneer against the Buyer for breach of contract. The Buyer's also forfeits any deposit paid to Ryncor Auctioneers. Ryncor Auctioneers also reserves the right to charge the Buyer rent and costs incurred due to non-removal of lots. The Buyer will be responsible for all damages caused to the building, plant and machinery or other lots, be it caused by the Buyer or any appointed contractor.
- 17 The Buyer declares to be duly entitled to sign and purchase the items on behalf of his company/cc/trust and agrees with the abovementioned general conditions of sale by Tender.
- 18 **The above mentioned items will be sold as "SCRAP".** The items are hereby sold to the Buyer as ("voetstoots, as is, where is") and Ryncor Auctioneers do not guarantee in any manner the quality and usefulness of the Items, except that when properly used it will not create a risk to health, nor shall Ryncor Auctioneers be responsible for any defects latent or patent or any damages resulting there from, and the Buyer hereby agrees to accept the items as they are with all their defects.
- 19 When doing a site visit to view the Goods up for a Tender Sale, the prospective Buyer must ensure he arranges to be booked in by a Sasol Supply chain Services Redundant Materials Management employee prior to his visit on; **Tel no: +2717-610-1606 (Secunda), Tel no: +2716-960-2992 (Sasolburg) and Tel no: +2716-366-4046 (Meyerton).**

Important note:

- **A bar-coded ID document and correct PPE (personal protective equipment) are mandatory for all site visits.**
- **All visitors/contractors must first view a safety video at the Sasol Security Offices before being granted access.**
- **International buyers must ensure they have the correct Business Visa and Work Permits arranged prior to site visits.**

- 19,1 The SA Immigration Act. has strict requirements for any 'Other Country National (OCN)' that plan to visit South Africa. In order to operate within the parameters of the law it is critical to ensure that access to Sasol premises is aligned with the relevant legal requirements outlined in the Act. Therefore all OCN individuals must notify SASOL RMM/RYNCOR 72 hours (working hours) before intending to visit the Sasol site and send a copy of the valid passport and work permit / business endorsements in order to ensure compliance, alignment and easy access to Sasol premises.

SIGNED: DATE:



- 20** The Buyer hereby, in terms of Section 10 of the Occupational Health and Safety Act, No 85 of 1993, undertakes in writing or by signing of a Letter of Award to take all the necessary steps to ensure, as far as it is reasonably practical, that the items purchased will be used in a safe manner for what they are designed for and without risks to health when properly used and that it complies with the prescribed requirements. The undertaking shall have the effect of relinquish Ryncor Auctioneers and Sasol Shared Services the duty imposed upon them by this Section 10 to such an extent as may be reasonable having regard to the terms of the undertaking.
- 21** The Buyer further undertakes to abide by all internal SHE (*Safety, Health & Environmental*) prescriptions of the Seller (Company) inclusive of requirements for the safe decommissioning, dismantling, up-liftment / rigging, loading and transportation of the purchased commodities. Depending of the nature and size of the purchased item, a comprehensive Environmental Management Plan (EMP) could be required.
(This aspect to be discussed by the prospective Buyer when submitting his bid)
- 22** The rules of this Tender Sale comply with section 45 of the Consumer Protection Act, 68 of 2008 ("the Act") and the regulations thereto. Any person attending the Tender Sale to bid on behalf of another person must produce a letter of authority which meets the requirements of regulation 32(3) of the regulations to the Act. Any person bidding on behalf of a company must produce a letter of authority on the letterhead of the company as well as a certified copy of a resolution authorising him or her to bid. All persons intending to bid must register prior to the Tender Sale and must provide a copy of their identity documents and proof of residence.
- 23** The Buyer shall indemnify and keep Ryncor Auctioneers/Sasol indemnified against all losses for death or injury to its employees, its contractors and / or its contractors losses for death or injury to its employees, its contractors and / or its contractors personnel and / or death or injury or damage to health of third parties or damage to anything attributable to this sales transaction, and against all claims, demands, proceedings, costs, charges and expenses arising in connection with this sale agreement.
- Important Notice:** - For the removal of equipment/structures/plant facilities from any Sasol BU/Plant or Mine area, the successful Bidder must enter into a Memorandum of Agreement with Sasol.

SIGNED: DATE:



ADDITIONAL REQUIREMENTS FOR EXPORT SALES (MOZAMBIQUE)

Foreign Buyers and Export Compliance:

In addition to the above terms, all buyers intending to export goods from Mozambique or import them into South Africa must comply with the following requirements:

1. Mozambique Export Requirements

Buyers must obtain or provide:

- * A **Commercial Invoice** and **Packing List**.
- * An **Export Permit** (if required by Mozambican authorities).
- * A **Certificate of Origin** to qualify for SADC benefits (zero-rated tariffs).
- * Payment of any applicable **export duties** (if imposed).

2. Mozambique Import VAT & Duties

- * 17% **VAT** will be levied on the **customs value** of the goods (CIF – Cost, Insurance, Freight).
- * VAT-registered businesses may claim this as **input VAT** on SARS VAT returns.
- * **Customs Duties** may apply if the goods do not meet SADC origin rules.

3. SADC Tariff Exemptions

Zero-rated tariffs under the SADC Protocol will only apply if:

- * The steel originates from Mozambique and meets **SADC Rules of Origin**.
- * A **valid SADC Certificate of Origin** is presented upon import into South Africa.

4. Transport & Border Documentation

Buyers must ensure that they or their freight agent provide:

- * **Bill of Lading/Waybill**
- * **Import Permit**
- * **SARS Customs Client Number**
- * **SADC Customs Forms** for clearance at both Mozambican and South African borders

5. Product Classification & HS Code

- * It is the Buyer's responsibility to provide a complete description of the items, including material type, quantity, dimensions, and intended use, in order to determine the correct **HS (tariff) code** for customs purposes.
- * Failure to meet these requirements may result in customs delays, additional duties, or VAT liabilities at the Buyer's expense.

SIGNED: DATE:



INDEMNITY

In favour of Ryncor Auctioneers cc (hereinafter referred to as "Ryncor")

I, the undersigned, _____, ID _____
hereby agree as follows:

WHEREAS Ryncor has the intention to sell articles to me, on behalf of the Seller, on the following auction/tender provided my bid is the highest:

Tender number: MO 08-0002-26 (hereinafter referred to as "the article/s")

AND WHEREAS I intend to purchase the article's from Ryncor and bid a purchase price in consideration for the article/s;

NOW THEREFORE:

- 1 I acknowledge that the article/s is/are sold voetstoots/COA/as per MSDS without any warranties, whether express or implied and Ryncor shall not be liable for any defects whether patent, latent or otherwise in the article/s nor for any damages suffered by me by reason of such defects.
- 2 I will not have any claim whatsoever against Ryncor for any deficiency in the article/s which may be revealed after the purchase thereof.
- 3 I acknowledge that I am aware of the meaning of the expression **"voetstoots, as is, where is /COA-Certificate Of Analysis/as per MSDS-Material Safety Data Sheet"**
- 4 Ryncor and/or Ryncor employees shall not be liable for any loss and/or damage of whatsoever nature and howsoever caused, including any damage caused by the negligence of Ryncor, any Ryncor employee and/or any other person, suffered by me (to my person or property) as a result, directly or indirectly of the purchase and sale of the article/s and Ryncor and/or any Ryncor employee shall not be liable for any consequential indirect loss and/or damage arising there from.
- 5 I hereby indemnify and hold Ryncor and any Ryncor employee harmless against all liabilities, claims, losses and damage of whatsoever nature and howsoever caused which Ryncor and/or any Ryncor employee and/ or any other person may sustain as a result, directly or indirectly, of the purchase and sale of the article/s.
- 6 I acknowledge that the articles are sold as redundant material and I hereby undertake the following:
 - 6,1 I shall not use the articles or any part or component thereof for any purpose which renders such use illegal or unsuitable;
 - 6,2 In the event that I require refurbishment of the articles I shall take all the required steps in order to ensure that the refurbishment complies fully with the provisions of the Occupational Health and Safety Act, No 85 of 1993 (The "OHS Act");
 - 6,3 I shall procure the necessary certification by a competent or accredited person or institution for such purpose verifying that the refurbishment complies with the provisions of the OHS Act.
- 7 In the event of bidding on a **vehicle**, with the intention to buy the vehicle, I acknowledge the following additional points:
 - 7,1 Before buying/bidding on the vehicle/s, I have been informed on the tender/auction document of the Vehicle's roadworthy status, (not registered, deregistered, scrapped or dealerstock). I further understand that all information rendered to me on the vehicle is done in good faith, and that Ryncor cannot be held liable for anything said or implied on the general condition. I accept the status of the registration document and understand the pros to be followed by myself or the company I'm bidding for, to get the vehicle/s.
 - 7,2 I take full responsibility for the registration of any one or more of the vehicles bought by me should I wish to do so, and/or to obtain certificates of roadworthiness and that I am responsible to take all steps necessary in this regard and to carry all costs associated with registering any one or more of the vehicles and/or obtaining certificates of roadworthiness for the vehicle/s, including any costs incurred to get the vehicle/s in a roadworthy condition and that I will not require any assistance from RYNCOR in this regard
 - 7,3 I buy the vehicle/s listed above voetstoots and entirely at my own risk or at the risk of the company I'm bidding for and that no warranty or representations whatsoever have been made in respect of the vehicle/s by RYNCOR
 - 7,4 I and/or the company I'm bidding for, hereby indemnify RYNCOR and holds RYNCOR harmless against all claims, liabilities, costs, expenses, damages, compensation and losses [including any direct, indirect or consequential losses, loss of profit, loss of reputation and all interest, penalties and legal and attorneys' fees as between attorney and client and claims by my dependants /directors, employees, agents or representatives) arising out of or in connection with death, personal injury, sickness, disease, damage to or loss of property suffered by myself or any one of my dependants or by the company I'm bidding for, or any one of its directors, employees, agents or representatives and arising out of or in connection with the sale of the vehicle/s.

This indemnity shall be applicable to all agents, representatives, directors, employees and principals of Ryncor Auctioneers

SIGNED AT: _____ ON THIS: _____ DAY OF: _____

DR/MR/MS: _____

SIGNATURE: _____

CONTACT NUMBER: _____

WITNESS: _____



POPI CONSENT REGISTRATION OF TENDERS

I/We _____ hereby agree to provide our personal information to Ryncor Auctioneers, on the express understanding that:

1. This constitutes our consent, as required under Section 11 (1) (a) of the Protection of Personal Information Act 4 of 2013 ("POPI").
2. The tender processing and finance staff of Ryncor Auctioneers will have access to our personal details which have been furnished to them for the purpose of attending to the registration of a tender over the assets referred in the tender document.
3. Ryncor Auctioneers are authorized to release our personal information to the seller, as well as any other Related Party/Parties, solely for the purposes of this transaction.
4. The personal data will be used only for the purposes in 2 and 3 above of this consent.
5. Ryncor Auctioneers will in addition to its POPI compliance store our details, as provided for and specified by the Legal Practice Council from time to time.
6. I/We hereby consent to receive Newsletters and/or other useful information from Ryncor Auctioneers in the future.

Signature



TENDER REGISTRATION FORM

Declaration of agreement by the undersigned with the general terms and conditions of this tender sale.

I/We, the undersigned _____, hereby submit to you the
the following irrevocable bid(s), without any restrictions according to the general terms and
conditions of this tender sale by this, to purchase the materials as follows:

*** PLEASE COMPLETE ALL THE REQUESTED FIELDS BELOW IN CAPITAL LETTERS
TO PREVENT BID CANCELLATION**

NAME OF COMPANY:

NAME AND SURNAME:

COMPANY VAT REGISTRATION NUMBER:

ID NUMBER AND COPY OF ID DOCUMENT:

PHYSICAL ADDRESS:

POSTAL ADDRESS:

CODE:

COUNTRY:

TELEPHONE NUMBER (BUSINESS HOURS):

MOBILE TELEPHONE NUMBER:

FAX NUMBER:

E-MAIL ADDRESS:

BANK DETIALS FOR RETURN OF DEPOSITS:

ACCOUNT HOLDER NAME:

ACCOUNT TYPE:

BANK:

BRANCH:

BRANCH CODE:

ACCOUNT NUMBER:

SIGNATURE:

COMPANY STAMP:

DATE:

TIME:

PLACE:

TENDER ITEMS				
LOT NO	BU NO.	DESCRIPTION	REG NO	AMOUNT IN RAND (Excluding VAT & Buyer's Commission)
LOT MO 001	MO22825	VARIOUS DRILL RODS (538 OFF) ESTIMATED OD: 90MM ESTIMATED ID: 74MM ESTIMATED THICKS: 8MM	25390	
LOT MO 002	MO22925	VARIOUS DRILL RODS ESTIMATED OD: 74MM ESTIMATED ID: 63MM ESTIMATED THICKS: 8,8MM	25390	
LOT MO 003	MO23025	VARIOUS DRILL RODS (118 OFF) ESTIMATED OD: 90MM ESTIMATED ID: 74MM ESTIMATED THICKS: 7,5MM	25390	
LOT MO 004	MO23125	PIPES (194 OFF) ESTIMATED OD: 90 - 180MM ESTIMATED ID: 75 - 160MM ESTIMATED THICKS: 9,5 - 10,5MM	25390	
LOT MO 005	MO23225	PIPES (88 OFF) ESTIMATED OD: 125MM ESTIMATED ID: 111MM ESTIMATED THICKS: 8MM	25390	
LOT MO 006	MO23325	PIPES (78 OFF) ESTIMATED OD: 175MM ESTIMATED ID: 156MM ESTIMATED THICKS: 10MM	25390	
LOT MO 007	MO23425	PIPES (38 OFF) ESTIMATED OD: 175MM ESTIMATED ID: 156MM ESTIMATED THICKS: 10MM	25390	
LOT MO 008	MO23525	PIPES (253 OFF) ESTIMATED OD: 125MM ESTIMATED ID: 110MM ESTIMATED THICKS: 8,5MM	25390	
LOT MO 009	MO23625	PIPES (90 OFF) ESTIMATED OD: 137,5MM ESTIMATED ID: 132MM ESTIMATED THICKS: 5MM TUBING, 5-1/2IN FLUSH JOINT 17PPF L80 VAM FJL CONNECTION RANGE 3 SMLS SPECIAL DRIFT RESTRICTED TO 40FT TO API5CT PSL2	25390	
LOT MO 010	MO23725	VARIOUS PIPES (8 OFF) ESTIMATED OD: 340MM ESTIMATED ID: 300MM ESTIMATED THICKS: 20MM ASSEMBLY, HANGER 13-38 CC-29-20 VAMTOP KE 68# C/W PTC-5061 / PPA-5866	25390	

Hereby I/we confirm that I/we have read and understand the terms and conditions of this tender sale.

Signature

TENDER ITEMS				
LOT NO	BU NO.	DESCRIPTION	REG NO	AMOUNT IN RAND (Excluding VAT & Buyer's Commission)
LOT MO 011	MO23825	PIPES (84 OFF) ESTIMATED OD: 240MM ESTIMATED ID: 220MM ESTIMATED THICKS: 11MM	25390	
LOT MO 012	MO23925	PIPES (144 OFF) ESTIMATED OD: 310MM ESTIMATED ID: 358MM ESTIMATED THICKS: 14MM	25390	
LOT MO 013	MO24025	VARIOUS PIPES (45 OFF)	25390	
LOT MO 014	MO24125	VARIOUS PIPES (20 OFF)	25390	
LOT MO 015	MO24225	ASSEMBLY, CASING HEAD CC-29 13-5/8 5000 X 13-3/8 QUICK CONNECT BOTTOM USE WITH CSG HGR TWS-CH16X1338BTC-01-2, CONSIST OF - GATE VALVE (2G-52SB50-T37-2), COMPANION FLANGE (CF-25XLP-2-00), BULLPLUG (BP-2X12XXH), RING GASKET (RG-R24SS), STUD (S-B7M-78X6), NU (2 OFF)	25390	
LOT MO 016	MO24325	ASSY, CROWN CASING HEAD CC-29-BP WITH SPECIAL FBD TOLERANCES 13-5/8IN 5000 X 13-3/8IN CONSIST OF - GATE VALVE (2G-52SB50-T37-2), COMPANION FLANGE (CF-25XLP-2-00), BULLPLUG (BP-2X12XXH), RING GASKET (RG-R24SS), STUD (S-B7M-78X6), NUT (N-2HM-78) (20 OFF)	25390	
LOT MO 017	MO24425	TOOL, CROWN RUNNING TOOLTWS FOR MANDREL CASING HANGER 19.625-2 STUB ACME-2G LEFT HAND BOX BOTTOM X 18-5/8 SEAL-LOCK BOSS (87.5 LB/FT) BOX TOP (2 OFF) HEAD, CASING 13-5/8 5000 FLANGE TOP X 13-3/8 QUICK CONNECT OEC BOTTOM TWO 2-1/16 5000 STUDDED SIDE OUTLETS WITH 1.900 VR THREAD FOR USE WITH 13-3/8 TWS MANDREL HANGER SLIP, CASING HANGER C-21 26 NOMINAL X 18-5/8 MANUAL API 6A LUDD PSL-2 PR2 (1 OFF) TOOL, CROWN RUNNING TOOL TWS 13-3/8 SEAL-LOCK APEX (68 LB/FT) BOX TOP X 13.625-2 LH STUB ACME PIN BOTTOM 12.41 BORE 13.50 LONG MAX LOAD 620,000 LBF API 6A (1 OFF) ASSEMBLY, CROWN CONDUCTOR HOUSING TWS 24 100 PSI OEC QUICK CONNECT TOP X 24 QUICK CONNECT BOTTOM - CONSIST OF 2 X NIPPLES (NIP-2X6XXH), 2 X BALL VALVES (FB-R20S30S), 2 X BULLPLUGS (BP-2X12XXH) (1 OFF) RING, LANDING CROWN TWS1 20 NOMINAL X 13-3/8 CASING W/ 1-1/4 LP PLUGS (1 OFF) (1 OFF) PACKOFF, CROWN PRIMARY CC-21-L 26-3/4 NOMINAL X 18-5/8 ONE ORING SEAL ON OD AND ID 1/8 LP BLEEDER PORT 3.75 LONG FOR USE WITH BX RING GASKET ONLY 3000 PSI SEAL ASSEMBLY, TIE-BACK VERSAFLEX EXPANDABLE LINER HANGER NO GO 7.75" SEAL BORE ID-MIN 4130 MODIFIED LOW ALLOY STEEL MATL MOLDED NITRILE RUBBER SEAL MATL 7-5/8 33.7#CVAMTOP-HT BOX 8.359" MAX OD 6.68" MIN ID 124.21" MAXIMUM LENGTH 119.34" (1 OFF) ASSEMBLY, CROWN CASING HANGER CC-22 20 NOMINAL X 13-3/8 VT BOX BOTTOM X 14.125-2 STUB ACME API 6 LUDD PSL-2 PR2 (1 OFF) TOOL, RUNNING HANGER MANDREL 13-3/8 L80 VT BOX UP (4 OFF)	25390	

Hereby I/we confirm that I/we have read and understand the terms and conditions of this tender sale.

Signature

TENDER ITEMS				
LOT NO	BU NO.	DESCRIPTION	REG NO	AMOUNT IN RAND (Excluding VAT & Buyer's Commission)
LOT MO 018	MO24525	ADAPTOR, CROWN TWS 20 100 OEC QUICK CONNECT BOTTOM X 20 SOW PREP TOP SPECIAL FOR USE WITH TWS CONDUCTOR HOUSING PRTPPF TWS-CH20X20QC-00-2 19.19 BORE 1.00 LONG PUDD-NL PSL-1 (2 OFF) ADAPTOR, DRILLING ADAPTOR 24 QUICK CONNECT X 24 SOW TOP CONN (1 OFF) ASSEMBLY, CROWN CONDUCTOR HOUSING TWS 20 NOMINAL X PREP TO ACCEPT 18-5/8IN SLICK NECK OR CASING (1 OFF) HANGER, CROWN MANDREL CASING HANGER 16 NOMINAL (FOR 20 NOMINAL TWS SYSTEM) 13-3/8 SEAL-LOCK APEX (68 LB/FT) BOX BOTTOM X 13.625-2 STUB ACME LH BOX TOP 15-1/2 X 10 API 6A PUDD-NL PSL-2 PR1 (2 OFF) ADAPTOR, DRILLING ADAPTOR 20 QUICK CONNECT X 18-5/8 SOW TOP CONN (3 OFF) ASSEMBLY, CROWN CONDUCTOR HOUSING TWS 20 NOMINAL X PREP TO ACCEPT 18-5/8IN SLICK NECK OR CASING (1 OFF) HOUSING, CONDUCTOR 20IN TWS NOMINAL TO ACCEPT 18-5/8IN SLICK NECK OR CASING CONSIST OF - GATE VALVE (2G-52SB20-LD-58-2) COMPANION FLANGE (CF-22X2LP-2) BULLPLUG (BP-2X12XXH) STUD (S-B7M-58X412) NUT (N-2HM-58) RING GASKET (RG-R23SS) (1 OFF) PUP, JOINT 9-5/8IN 36PPF L80 SL-APEX BXP 3M (1 OFF) ASSEMBLY, CASING HEAD CUM 13-5/8 5000 FLANGE TOP X 13-3/8 QUICK CONNECT OEC BOTTOM TWO 2-1/16 5000 STUDDERED SIDE OUTLETS WITH 1.900 VR THREAD FOR USE WITH 13-3/8 TWS MANDREL HANGER (1 OFF) SLIPS, CROWN CONTINGENCY CASING SLIP TWS1 20 NOMINAL X 13-3/8 CASING WITH NON-SPLIT SLIP HOUSING AND ATTACHABLE PACKOFF BUSHING 5000 PSI RWP API 6A LUDD-NL PSL-2 PR1 (1 OFF) ADAPTER, CROWN INTERMEDIATE HEAD FBD 13-5/8 5000 STUDDERED BOTTOM X 13-5/8 5000 FLANGE TOP TWO 2-1/16 5000 STUDDERED SIDE OUTLETS (4 OFF) TUBING HEAD, CROWN CTCM 11 3000 X 7-1/16 3000 C/W 2 - 2-1/16 3000 STUDDERED SIDE OUTLET W/ 1-1/2" LP VRT & CP SEC PREP CADIUM PLATED BOLTING API 6A UAA PSL-A PR2 (1 OFF)		

Hereby I/we confirm that I/we have read and understand the terms and conditions of this tender sale.

Signature

TENDER ITEMS				
LOT NO	BU NO.	DESCRIPTION	REG NO	AMOUNT IN RAND (Excluding VAT & Buyer's Commission)
		ADAPTOR, DIVERTER 20IN 3000 X 20IN QUICK CONNECT TWS-AF203X20QC-00-2 (1 OFF) ADAPTER, TUBING HEAD AEN 11 3000 X 4-1/16 3000 DBL STD 6.38 DIA X 7.63 DEEP POCKET TWO 1/4 CONTROL LINES W/HIDDEN N/V 1/2 LP PORTS & 2 1/4 I-WIRE W/DIAMOULD CAP BOLTING PREP 4.25 BORE FOR R OR RX GASKET SPECIAL 17.00 OD PUAA PSL-2 PR2 (1 OFF) ADAPTOR, CROWN TWS 20 100 OEC QUICK CONNECT BOTTOM X 20 SOW PREP TOP SPECIAL FOR USE WITH TWS CONDUCTOR HOUSING PRTPPF TWS-CH20X20QC-00-2 19.19 BORE 1.00 LONG PUDD-NL PSL-1 (1 OFF) ASSEMBLY, CASING HEAD CUM 13-5/8 5000 FLANGE TOP X 13-3/8 QUICK CONNECT OEC BOTTOM TWO 2-1/16 5000 STUDDED SIDE OUTLETS WITH 1.900 VR THREAD FOR USE WITH 13-3/8 TWS MANDREL HANGER (1 OFF) TOOL, CROWN RUNNING TOOL TWS 13-3/8 SEAL-LOCK APEX (68 LB/FT) BOX TOP X 13.625-2 LH STUB ACME PIN BOTTOM 12.41 BORE 13.50 LONG MAX LOAD 620,000 LBF API 6A (1 OFF) PUP, JOINT 7-5/8IN 26.4PPF L80 BXP TYPE 1 VT REGULAR SEAMLESS STANDARD DRIFT 9.84 FT / 3M (2 OFF) ADAPTOR, DIVERTER 20IN 3000 X 20IN QUICK CONNECT TWS-AF203X20QC-00-2 (2 OFF) ADAPTER, TUBING HEAD AEN 7-1/16 3000 X 4-1/16 3000 DOUBLE STUDDED C/W 6.75 DIA X 6.63 DEEP POCKET TWO 1/4 CONTROL LINES W/ HIDDEN NEEDLE VALVES AND 1/2 LP PORTS 4.25 BORE FOR USE W/ R OR RX GASKET SPECIAL 17.00 OD CADIUM STUDS & NUTS UAA PSL-2 PR2 (2 OFF) ADAPTER, TUBING HEAD AEN 7-1/16 3000 X 4-1/16 3000 DOUBLE STUDDED C/W 6.75 DIA X 6.63 DEEP POCKET TWO 1/4 CONTROL LINES W/ HIDDEN NEEDLE VALVES AND 1/2 LP PORTS 4.25 BORE FOR USE W/ R OR RX GASKET SPECIAL 17.00 OD CADIUM STUDS & NUTS UAA PSL-2 PR2 (1 OFF) ADAPTOR, DIVERTER 20IN 3000 X 20IN QUICK CONNECT TWS-AF203X20QC-00-2 (1 OFF) HEAD, CASING 13-5/8 5000 FLANGE TOP X 13-3/8 QUICK CONNECT OEC BOTTOM TWO 2-1/16 5000 STUDDED SIDE OUTLETS WITH 1.900 VR THREAD FOR USE WITH 13-3/8 TWS MANDREL HANGER (7 OFF) HANGER, CROWN MANDREL CASING HANGER 16 NOMINAL (FOR 20 NOMINAL TWS SYSTEM) 13-3/8 SEAL-LOCK APEX (68 LB/FT) BOX BOTTOM X 13.625-2 STUB ACME LH BOX TOP 15-1/2 X 10 API 6A PUDD-NL PSL-2 PR1 (1 OFF) TOOL, RUNNING HANGER MANDREL 13-3/8 L80 VT BOX UP (1 OFF) ADAPTOR, DIVERTER 20IN 3000 X 20IN QUICK CONNECT TWS-AF203X20QC-00-2 (1 OFF) PACKOFF, CROWN PRIMARY CC-29 26-3/4 NOMINAL FOR 18-5/8 NOMINAL CASING OR HANGER EXTENDED NECK DUAL EXTERNAL O-RING SEALS AND DUAL INTERNAL FS-SEALS WITH TEST PORT FOUR JSLOTS FOR RUNNING TOOL LUGS LOCKDOWN GROOVE PREP 18.84 BORE	25390	
LOT MO 019	MO24625	PROTECTOR, CROWN BORE PROTECTOR FBD 13-5/8IN NOM X 12.5310IN X 65.75IN LG TO FIT CC-22 CC-29 OR CU HEADS FOR 1ST STAGE OF 3-STAGE SYSTEM (5000 RWP) (2 OFF)	25390	

Hereby I/we confirm that I/we have read and understand the terms and conditions of this tender sale.

Signature

TENDER ITEMS				
LOT NO	BU NO.	DESCRIPTION	REG NO	AMOUNT IN RAND (Excluding VAT & Buyer's Commission)
LOT MO 020	MO24725	MANDREL, GAS LIFT 3-1/2IN 9.2PPF VAM TOP BXP 1IN VALVE 13CR WITH 1 DUMMY VALVE (13 OFF) PUP, JOINT 7" 29# L80 TYPE 1 VAM TOP REGULAR BXP 1M (1 OFF) COUPLING, 7IN 23.0PPF L80, TYPE 1, VT (1 OFF) PUP, JOINT 3-1/2IN 9.2PPF L80 VAM TOP SMLS TYPE 1 REGULAR 1M PXP (2 OFF)	25390	
LOT MO 021	MO24825	PIPES (217 OFF) ESTIMATED OD: 74,5 - 115MM ESTIMATED ID: 62 - 105MM ESTIMATED THICKS: 5 - 5,5MM	25390	
LOT MO 022	MO24925	ESTIMATED OD: 116MM ESTIMATED ID: 89MM ESTIMATED THICKS: 8,5MM (1 OFF)	25390	
LOT MO 023	MO25025	PUP, JOINT 4-1/2IN VAMTOP 12.6PPF BXP 13CR 80000 PSI 79.7IN LONG (50 OFF)	25390	
LOT MO 024	MO25125	VARIOUS PIPES PUP, 3-1/2" 9.20# L80 TYPE 1 VAM TOP REGULAR 1M PUP, JOINT 7IN 29PPF L80 TYPE 1 VAM TOP HC BXP 1.5M	25390	
LOT MO 025	MO25225	BUSHING, CROWN PACKOFF BUSHING STANDARD FBD 13-5/8IN NOMINAL X 7-5/8IN SLICK EXTENDED NECK WITH THREE J-SLOTS DUAL S-SEALS & FS CASING SEALS FOR USE WITH THREE STAGE 3/5000 PSI FBD SPOOL PSL-2 PR1 FTRUNNING TOOL FBD-RT11FT (13 OFF) BUSHING, CROWN PACKOFF CONTINGENCY FBD 13-5/8IN NOMINAL X 7-5/8IN CASING WITH 3 J-SLOTS DUAL S-SEALS & FS CASING SEALS FOR USE WITH THREE STAGE 3/5000 PSI FBD SPOOL & CC-21N SLIPS 6.81 BORE 22.40 LG API 6A LUDD-NL PSL-2 PR1 REF RUNNING TOOL FBD-RT11 (? OFF) PLATES, TWS CASING HANGER RETAINER TWS-CHRP16X1338-00 (1 OFF) ASSEMBLY, CROWN CASING SLIP HANGER HOUSING ASSEMBLY TWS 24 NOMINAL X 18-5/8 CASING (WITHOUT SLIP SEGMENTS) MANUAL API 6A LUDD-NL PSL-2 PR1 (2 OFF) SLIPS, CROWN CONTINGENCY CASING SLIP TWS1 20 NOMINAL X 13-3/8 CASING WITH NON-SPLIT SLIP HOUSING AND ATTACHABLE PACKOFF BUSHING 5000 PSI RWP API 6A LUDD-NL PSL-2 PR1 (1 OFF)	25390	
LOT MO 026	MO25325	PROTECTOR, CROWN BORE PROTECTOR FBD 13-5/8IN NOM X 12.5310IN X 43.25IN LG TO FIT CC-22 CC-22-10M CC-29 OR CU HEADS (3 OFF) (1 OFF) ASSY, JOINT 13-3/8IN 54.5PPF K55 BTC R3 W/ SAS-2625 TWSFT 13-3/8IN CASING HANGER RUNNING TOOL (2 OFF) NG NECK & GROOVE FOR RETAINING PINS API 6A UAA PSL-2 PR1 RUN TOOL	25390	
LOT MO 027	MO25425	PACKOFF, BUSHING TYPE FBD CONTINGENCY 13-5/8 NOMINAL X 9-5/8 CASING FOR USE WITH CC-21" SLIPS (21 OFF) TOOL, CROWN WASHOUT FBD 13-5/8 NOM X 4-1/2 IF (NC50) BOX FOR USE WITH 10.50 MAX OD X 13.62 LG EXTENDED NECK HANGER (1 OFF) PROTECTOR, CROWN BORE CC-22 20 NOMINAL X 19.00 ID X 14.19 LONG TO FIT CC-22 OR CC-29 (2 OFF) PROTECTOR, CROWN BORE PROTECTOR FBD 13-5/8IN NOM X 12.5310IN X 43.25IN LG TO FIT CC-22 CC-22-10M CC-29 OR CU HEADS (1 OFF) ASSY, SWELL PACKER COMPONENTS SP LITE END RING COMPONENT ASSEMBLY 4.5IN BASE PIPE SIZE 1.96IN LENGTH AISI 420 MATL 5.63IN OUTSIDE DIAMETER H2S SERVICE LITE END RING TYPE OTHER SET SCREW MATERIAL (1 OFF)	25390	
LOT MO 028	MO25525	PUP, JOINT 7-5/8IN 26.4PPF L80 TYPE 1 VAM PXP 3M (2 OFF)	25390	

Hereby I/we confirm that I/we have read and understand the terms and conditions of this tender sale.

Signature

TENDER ITEMS				
LOT NO	BU NO.	DESCRIPTION	REG NO	AMOUNT IN RAND (Excluding VAT & Buyer's Commission)
LOT MO 029	MO25625	PACKER, PRODUCTION SMARTWELL MC FLOW CONTROL 7IN 26-29PPF WEIGHT RANGE 13CR 80000 PSI MIN YIELD NITRILE RUBBER ELEMENT MATL 5000 PSI PRESSURE RATING 3-1/2IN 10.2PPF VAMTOP PIN-PIN 8 NUMBER OF CONTROL LINE BYPASS TUBING SET (3 OFF)	25390	
LOT MO 030	MO25725	MANDREL, GAUGE ASSEMBLY 3-1/2IN ROC BXP TYPE 13CR 80000 PSI MIN YIELD SINGLE GAUGE CONFIGURATION SINGLE FEEDTHRU SLOT 1 GAUGE TYPE ANNULUS SLOT 1 PORT A 9RG2-350048-01 (5 OFF)	25390	
LOT MO 031	MO25825	PACKER, RETRIEVABLE SAND CONTROL VERSA-TRIEVEA 7IN 26-29PPF WEIGHT RANGE VCA INCLUDING BOTTOM SUB (3 OFF)	25390	
LOT MO 032	MO25925	CENTRALIZER, RED-X 4-1/2IN CASING X 6IN HOLE SLIP-ON POSITIVE WELDED SPIRALIZER (348 OFF)	25390	
LOT MO 033	MO26025	COUPLING, FLOW 3-1/2IN SMLS 9.2PPF L-80 VAM TOP BXP (19 OFF)	25390	
LOT MO 034	MO26125	VARIOUS STAGE COLLAR (7 OFF)	25390	
LOT MO 035	MO26225	CROSSOVER 7IN SL-APEX 23PPF X 7IN VAMTOP 23PPF L80 PXP OAL 3M (2 OFF) VALVE, SAFETY SP TUBING-RETRIEVABLE 7IN 23PPF 13CR SL-APEX BOX X 7IN 23PPF 13CR SL-APEX PIN (1 OFF)	25390	
LOT MO 036	MO26325	VARIOUS CYCLINDERS	25390	
LOT MO 037	MO26425	PACKER, SALTEL (8 OFF)	25390	
LOT MO 038	MO26525	PUP, JOINT 3-1/2" 9.2# L80 VAM TOP SMLS TYPE 1 REGULAR 3M (2 OFF)	25390	
LOT MO 039	MO26625	PIPE (1 OFF)	25390	
LOT MO 040	MO26725	PACKER, PRODUCTION OTD HALLIBURTON AHC HYDRAULIC-SET 7IN 29-32PPF WEIGHT RANGE 5.93IN MAX OD 2.897IN MIN ID 112.62IN LENGTH 13CR 80K PSI MIN YIELD HYDROGENATED NITRILE RUBBER ELEMENT MATL FLUOROCARBON RUBBER O-RING MATL 3.5IN 9.2PPF VAMTOP BOX-PIN (2 OFF)	25390	
LOT MO 041	MO26825	PACKER, PRODUCTION OTD HALLIBURTON AHC HYDRAULIC-SET 7IN 29-32PPF WEIGHT RANGE 5.93IN MAX OD 2.897IN MIN ID 112.62IN LENGTH 13CR 80K PSI MIN YIELD HYDROGENATED NITRILE RUBBER ELEMENT MATL FLUOROCARBON RUBBER O-RING MATL 3.5IN 9.2PPF VAMTOP BOX-PIN (2 OFF)	25390	
LOT MO 042	MO26925	VARIOUS SHAFTS (5 OFF)	25390	
LOT MO 043	MO27025	HANGER, LINER EXPANDABLE VERSAFLEX STANDARD LINER HANGER TYPE 9.375-9.875IN 39.00IN 65.10IN CASING WEIGHT 4130 MODIFIED LOW ALLOY STEEL MATERIAL- EXPANDABLE BODY 80 MINIMUM YIELD STRENGTH-EXPANDABLE BODY CALC/1000 7-5/8IN 39PPF TSH	25390	
LOT MO 044	MO27125	ADAPTOR, REDUCING VERSAFLEX 7IN 29PPF SLAPEX BOX X 7IN 29PPF VAMTOP PIN 7.706IN MAX OD 6.164IN MIN ID 27IN MAXIMUM LENGTH 41XX LOW ALLOY STEEL MATL 80000 PSI MIN YIELD H2S SERVICE (12 OFF)	25390	
LOT MO 045	MO27225	SPIRALIZER, 4-1/2IN X 6IN SLIP ON WELDED	25390	
LOT MO 046	MO27325	PACKER, SWELL LITE III OIL SWELLING LOW SWELLING RUBBER 0A 4.5IN BASEPIPE X 5.65IN ELEMENT OD X 1M ELEMENT LENGTH (15 OFF)	25390	
LOT MO 047	MO27425	PACKER, ZONEGUARD OPENHOLE TYPE 4-1/2IN 12.6PPF VAMTOP BOX-PIN 3.9IN MIN ID 52.11IN LONG 13CR 80000 PSI MIN YIELD HYDROGENATED NITRILE RUBBER ELEMENT MATL HYDROGENATED NITRILE RUBBER O-RING MATL 40-325 DEG F TEMPERATURE (9 OFF)	25390	
LOT MO 048	MO27525	TUBING, HALLIBURTON CHECKSTREAM CHEMICAL INJECTION INTEGRATION 3-1/2IN 9.2PPF VAMTOP BXP 13CR MATL 80000 PSI MIN YIELD 3/8IN FMJ PORT CONNECTION TUBING SLOT 1 PORT A 4200 PSI RUPTURE DISC BURST PRESSURE 1.00 X 0.55 BYPASS SLOT DIMENSIONS (4 OFF)	25390	

Hereby I/we confirm that I/we have read and understand the terms and conditions of this tender sale.

Signature

TENDER ITEMS				
LOT NO	BU NO.	DESCRIPTION	REG NO	AMOUNT IN RAND (Excluding VAT & Buyer's Commission)
LOT MO 049	MO27625	VARIOUS CYCLINDERS (3 OFF)	25390	
LOT MO 050	MO27725	DRIVE GEAR DRILL BITS (5 OFF)	25390	
LOT MO 051	MO27825	COLLAR, LANDING 7" VAM TOP HC 29# L80 (EX SAS-0717) (2 OFF)	25390	
LOT MO 052	MO27925	TOOL, CROWN RUNNING/RETRIEVING TOOL FBD 11IN X 4-1/2IN IF (NC50) BOX X BOX FOR USE WITH 11 FBD WEAR BUSHING OR 13-5/8IN FBD PACKOFF BUSHING (4 OFF)	25390	
LOT MO 053	MO28025	PUP, JOINT 5-1/2IN 17PPF TYPE 1 VAM FJL BXP L80 SEAMLESS 3M (5 OFF)	25390	
LOT MO 054	MO28125	COLLAR FLOAT (1 OFF)	25390	
LOT MO 055	MO28225	COLLAR, FLOAT 13-3/8" 68# L80 SL APEX TYPE 700 LAPN PVTS (EX SCH-3361) (2 OFF)	25390	
LOT MO 056	MO28325	CABLE (2 OFF) TUBING, TEC 1/4IN OD X 0.035IN WALL THICKNESS 316L SS WELDED 16 AWG SOLID COPPER FEP INSULATION POLYPROP FILLER 11MM OD TPR ENCAPSULATION (4 OFF)	25390	
LOT MO 057	MO28425	COLLAR, FLOAT 13-3/8" 68# L80 SL APEX TYPE 700 LAPN PVTS (EX SCH-3361) (3 OFF)	25390	
LOT MO 058	MO28525	COLLAR, FLOAT 13-3/8" 48-72# K55 BTC (EX SAS-0773) (3 OFF)	25390	
LOT MO 059	MO28625	SHOE, REAMER 9-5/8" 36# C110 TYPE 500-RM-PVTS (4 OFF)	25390	
LOT MO 060	MO28725	SHOE, REAMER 9-5/8" 36# C110 TYPE 500-RM-PVTS (3 OFF)	25390	
LOT MO 061	MO28825	SHOE, FLOAT 13-3/8" 68# L80 BTC TYPE 500 (EX SCH-3678) (2 OFF)	25390	
LOT MO 062	MO28925	COLLAR, FLOAT 7" VAM TOP HC 29# L80 (EX SAS-0720) (7 OFF)	25390	
LOT MO 063	MO29025	DSA, 13-5/8IN 10K X 13-5/8IN 5K (1 OFF)	25390	
LOT MO 064	MO29125	MANDREL, ASSY OTD 3-1/2IN 9.2PPF VAMTOP BOX (3 OFF)	25390	
LOT MO 065	MO29225	SUB, MAKE UP 4.5IN 12.6PPF VAMTOP BOX-PIN 5.6IN MAX OD 3.903IN MIN ID 49.18IN LONG 13CR 80000 PSI (4 OFF)	25390	
LOT MO 066	MO29325	SHOE, FLOAT SAND CONTROL 5.52IN MAX OD 26.96IN LONG 13% CHROME MATL 80000 PSI MIN YIELD 4 1/2-12.60 VAMTOP BOX (4 OFF)	25390	
LOT MO 067	MO29425	ADAPTER ASSY, RISER, 20-3/4"- 3K SPEEDLOCK (1 OFF)	25390	
LOT MO 068	MO29525	CROSSOVER ASSY, 13-5/8"- 10K STDD TOP X 13-5/8"- 10K SPEEDLOC II HUB PROFILE BTM X LG, EE U PSL 2, W/ INLAID INC 625 RG (1 OFF)	25390	
LOT MO 069	MO29625	FLAPPER, OTD EGF FRANGIBLE FLUID LOSS CONTROL INTERNAL PROP ASSEMBLY TYPE 4-1/2IN 12.6PPF VAMTOP BOX-PIN 5.725IN MAX OD 3.31IN MIN ID 44.14IN LENGTH 13% CHROME MATL 80000 PSI MIN YIELD COPPER BERYLLIUM FLAPPER MATERIAL STD/CO2 SERVICE (6 OFF)	25390	
LOT MO 070	MO29725	PLUG, SET HYDRAULIC 12CLP VIKING PPF12CLP47001 (4 OFF)	25390	

Hereby I/we confirm that I/we have read and understand the terms and conditions of this tender sale.

Signature

TENDER ITEMS				
LOT NO	BU NO.	DESCRIPTION	REG NO	AMOUNT IN RAND (Excluding VAT & Buyer's Commission)
LOT MO 071	MO29825	ADAPTOR, REDUCING VERSAFLEX 7IN 29PPF SLAPLEX BOX X 7IN29PPF VAMTOP PIN 7.706IN MAX OD 6.164IN MIN ID 27IN MAXIMUM LENGTH 41XX LOW ALLOY STEEL MATL 80000 PSI MIN YIELD H2S SERVICE (2 OFF)	25390	
LOT MO 072	MO29925	PACKER, ZONEGUARD OPENHOLE TYPE 4-1/2IN 12.6PPF VAMTOP BOX-PIN 3.9IN MIN ID 52.11IN LONG 13CR 80000 PSI MIN YIELD HYDROGENATED NITRILE RUBBER ELEMENT MATL HYDROGENATED NITRILE RUBBER O-RING MATL 40-325 DEG F TEMPERATURE (6 OFF)	25390	
LOT MO 073	MO30025	COLLAR, STOP 5-1/2IN CENTEK SLIDER II SOLID WITH SET SCREWS (731 OFF)	25390	
LOT MO 074	MO30125	ASSY, SWELL PACKER COMPONENTS SP LITE END RING COMPONENT ASSEMBLY 4.5IN BASE PIPE SIZE 1.96IN LENGTH AISI 420 MATL 5.63IN OUTSIDE DIAMETER H2S SERVICE LITE END RING TYPE OTHER SET SCREW MATERIAL (24 OFF)	25390	
LOT MO 075	MO30225	ADAPTOR, REDUCING VERSAFLEX 7IN 29PPF VAMTOP HC BOX X 7-5/8IN 33.7PPF VAMTOP HT PIN 7.702IN MAX OD 6.099IN MIN ID 26.5IN MAXIMUM LENGTH 41XX LOW ALLOY STEEL MATL 80000 PSI MIN YIELD H2S SERVICE (4 OFF)	25390	
LOT MO 076	MO30325	ADAPTOR, REDUCING 5-18.00 VAMTOP BOX X 4-1/2IN 12.6PPF VAMTOP PIN 5.632IN MAX OD 3.919IN MIN ID 18.03 IN. LENGTH 13% CHROME MATL 80000 PSI MIN YIELD 7500 PSI PRESSURE RATING H2S/CO2 SERVICE (4 OFF) ADAPTOR, REDUCING 8RD STUB BOX X VAM TOP PIN 5.82IN MAX OD 3.919IN MIN ID 14.25IN LENGTH 13% CHROME MATL 80K PSI MIN YIELD 5 13/32-8 STUB AC BOX X 4-1/2-12.6PPF VAM TOP PIN (6 OFF)	25390	
LOT MO 077	MO30425	EXTENTION, SEALBORE 32.55IN LONG 13% CHROME MATL 4-1/2IN 12.6PPF VAMTOP BOX-PIN H2S/CO2 SERVICE (54 OFF)	25390	
LOT MO 078	MO30525	SLEEVE, CLOSING MCS 5 13/32-8 STUB AC BOX X 5-18.00 VAMTOP-SC80 BOX 5.82IN MAX OD 3.88IN MIN ID 3.88IN SEAL BORE ID-MIN 47.82IN LENGTH 13% CHROME MATL 80000 PSI MIN YIELD 25IN LENGTH OF HONED BORE H2S/CO2 SERVICE (6 OFF)	25390	
LOT MO 079	MO30625	DRILL CLAMPS	25390	
LOT MO 080	MO30725	COUPLING, FLOW 36,4 4-1/2" 12.6# VAMTOP BXP (2 OFF) NIPPLE, LANDING OTIS WITH BOTTOM NO-GO TYPE XN OR RN OR RNT XN LOCK PROFILE 2.813" 9300 PSI PRESSURE RATING 3.937" MAX OD 2.75" MIN NO-GO ID 18.81" LENGTH 3 1/2" 9.2# VAMTOP BXP 13CR MATL 80000 PSI MIN YIELD H2S/CO2 SERVICE API 14L (4 OFF) NIPPLE, LANDING OTIS WITH BOTTOM NO-GO TYPE XN OR RN OR RNT XN LOCK PROFILE 2.313" 9700 PSI PRESSURE RATING 3.252" MAX OD 2.205" MIN NO-GO ID 20.51" LENGTH 2-7/8" 6.4# VAMTOP BOX-PIN 13CR MATL 80000 PSI MIN YIELD H2S/CO2 SERVICE (1 OFF)	25390	
LOT MO 081	MO30825	COLLAR, FLOAT 5-1/2IN VAM FJL 17PPF L80 2-3/4IN SUPER SEAL II VALVE (3 OFF)	25390	
LOT MO 082	MO30925	ADAPTOR, REDUCING VERSAFLEX 5.366IN HST-LX PIN X 5-1/2IN 17PPF VAM-FJL PIN 5.885IN MAX OD 4.687IN MIN ID 26IN MAXIMUM LENGTH 41XX LOW ALLOY STEEL MATL 125000 PSI (4 OFF) PLUG, PACKER 4.975IN MAX OD MIN ID 3.88IN SEAL BORE ID-MIN 75.55IN LONG 41XX LOW ALLOY STEEL MATERIAL HYDROGENATED NITRILE RUBBER SEAL MATL (6 OFF)	25390	
LOT MO 083	MO31025	PACKER, OPENHOLE SR ZONEGUARD TYPE 4-1/2IN 12.6PPF VAMTOP BXP 3.85IN MIN ID 63.23IN LENGTH 13CR 80000 PSI MIN YIELD HYDROGENATED NITRILE RUBBER ELEMENT MATL HYDROGENATED NITRILE RUBBER O-RING MATL 40-325 DEG. F TEMPERATURE RATING H2S/CO2 SERVICE (10 OFF)	25390	
LOT MO 084	MO31125	VALVE, TRSV 3-1/2IN 9.2PPF VAMTOP 13CR BXP 2.813IN SEAL BORE ID-MIN, 5.2IN.MAX OD 56.12IN LENGTH (5 OFF)	25390	
LOT MO 085	MO31225	MANDREL, GAUGE ASSEMBLY OTD ROC ASSEMBLY 2-7/8IN TUBING DIAMETER 6.4PPF TUBING WEIGHT VAMTOP BXP TYPE 13CR 80000 PSI MIN YIELD SINGLE GAUGE CONFIGURATION SINGLE FEEDTHRU SLOT 1 GAUGE TYPE ANNULUS SLOT 1 PORT A (6 OFF)	25390	

Hereby I/we confirm that I/we have read and understand the terms and conditions of this tender sale.

Signature

TENDER ITEMS				
LOT NO	BU NO.	DESCRIPTION	REG NO	AMOUNT IN RAND (Excluding VAT & Buyer's Commission)
LOT MO 086	MO31325	PIPES (3 OFF)	25390	
LOT MO 087	MO31425	VARIOUS PIPES (30 OFF) TUBING, 3-1/2IN 9.2PPF L80 VAM TOP SMLS TYPE 1 R2	25390	
LOT MO 088	MO31525	CASING, 18-5/8IN 93.74PPF K55 SL-BOSS CCELV (10 OFF)	25390	
LOT MO 089	MO31625	CASING, 13-3/8IN 54.5PPF K55 BTC R3 (43 OFF)	25390	
LOT MO 090	MO31725	CASING, 9-5/8IN 40PPF L80 SL-APEX R3 (70 OFF)	25390	
LOT MO 091	MO31825	PUP, JOINT 9-5/8IN 36PPF L80 SL-APEX BXP 6M (4 OFF)	25390	
LOT MO 092	MO31925	SCREEN, POROMAX 3-1/2IN 200 3.5IN BASE PIPE SIZE 9.2PPF BASE PIPE WEIGHT L-80 LOW ALLOY STEEL 80000 PSI BASE PIPE MATERIAL YIELD STRENGTH MIN 360IN LONG MESH SCREEN CONSTRUCTION TYPE 316L SS (4 OFF)	25390	
LOT MO 093	MO32025	PUP, JOINT 18-5/8IN 93.74PPF K55 SL-BOSS BXP 6M (5 OFF)	25390	
LOT MO 094	MO32125	PUP, JOINT 13-3/8IN 68PPF L80-1 SL-APEX BXP 6M (5 OFF)	25390	
LOT MO 095	MO32225	PUP, JOINT 9-5/8IN 36PPF L80 SL-APEX BXP 3M (2 OFF)	25390	
LOT MO 096	MO32325	PIPE RACK (2 OFF)	25390	
LOT MO 097	MO32425	SCREEN, PETROGUARD MESH 4.5IN BASE PIPE 12.6PPF GRADE L80 LOW ALLOY STEEL 80000 PSI YIELD STRENGTH MIN VAMTOP BXP 300 MICRON (219 OFF)	25390	
LOT MO 098	MO32525	CASING, 9-5/8IN TYPE SMLS 36PPF K 55 VAM TOP R3 (182 OFF)	25390	
LOT MO 099	MO32625	PUP JOINT, 9-5/8IN 43.50PPF L80 TYPE 1 VAM TOP-KS PXP 3M LONG (1 OFF) PUP, JOINT 13-3/8IN 54.5PPF K55 BTC BXP 3M (3 OFF)	25390	
LOT MO 100	MO32725	PUP, JOINT 9-5/8IN TYPE SMLS 36PPF K55 VAM TOP BXP 5M (13 OFF)	25390	
LOT MO 101	MO32825	CASING, 7" 29# L80 TYPE 1 VAM TOP REGULAR R2 (80 OFF)	25390	
LOT MO 102	MO32925	VARIOUS PUP, JOINT 4.967IN MAX OD 3.894IN MIN ID 96.55IN 13CR 80000 PSI 2.45M LONG PUP, JOINT 5" 15# L80-1 VA SUPERIOR SEAMLESS API-5-CT 2M PUP, JOINT 9-5/8IN 36PPF L8, TYPE 1 VAM PXP 3M PROTECTOR, CROWN BORE FBD 13-5/8IN NOM X 12.53IN ID X 13.25IN LG TO FIT CC-22 CC-29 OR CU HEADS CROSSOVER, 13-3/8" 68# L80 BTC BOX X VAMTOP REGULAR PIN 0.7M PUP JOINT, 7" 29# L80 TYPE 1 VAM TOP REGULAR- 1.5M ASSEMBLY, CASING SLIP HANGER C-21 26IN NOMINAL X 18-5/8IN MANUAL API 6A LUDD PSL-2 PR2 PUP, JOINT 7-5/8IN 26.4PPF L80 BXP TYPE 1 VT REGULAR SEAMLESS STANDARD DRIFT 19.69 FT / 6M PUP, JOINT 5IN 15PPF L80-1 VA SUPERIOR SEAMLESS API-5-CT 1M COUPLING, FLOW 2-7/8" 6.4# L80 VAM TOP 1M PUP, JOINT 3-1/2" 9.2# L80 VAM TOP SMLS TYPE 1 REGULAR 1M BXP	25390	

Hereby I/we confirm that I/we have read and understand the terms and conditions of this tender sale.

Signature

TENDER ITEMS				
LOT NO	BU NO.	DESCRIPTION	REG NO	AMOUNT IN RAND (Excluding VAT & Buyer's Commission)
LOT MO 103	MO33025	SCREEN, BAKERMESH SCREEN BAKERMESH 6-5/8IN BASE PIPE SIZE 6.625IN 24.00 LB/FT VT BOX UP 6.625IN 24.00 LB/FT VT PIN DOWN (101 OFF)	25390	
LOT MO 104	MO33125	VARIOUS PIPES (4 OFF)	25390	
LOT MO 105	MO33225	VARIOUS PIPES (45 OFF)	25390	
LOT MO 106	MO33325	CASING, 7-5/8IN 26.4PPF L80 TYPE 1 VAM R3 (21 OFF) HANGER, CROWN MANDREL CASING HANGER TWS 24 NOMINAL X 18-5/8 SEAL-LOCK BOSS (87.5 LB/FT) BOX BOTTOM X 19.625-2 STUB ACME-2G LEFT HAND PIN TOP 18.81 DIAMETER API 6A LUDD-NL PSL-2 PR1 (10 OFF)	25390	
LOT MO 107	MO33425	VARIOUS PIPES (39 OFF)	25390	
LOT MO 108	MO33525	PUP, JOINT 6-5/8IN 24PPF VAM TOP REG VM80 13CR 3M (190 OFF)	25390	

Hereby I/we confirm that I/we have read and understand the terms and conditions of this tender sale.

Signature